



Quantum Environment
Engineers

Gujarat Pollution Control Board

New/Edit Annual Report

PCB Id

Logout

Menu

364635 Inward ID 0 Inward Date Status APP. Type Back

* Hospital: 364635 - Quantum Environment Engineers RO: Vadodara Mobile No: 9825950096
Person I/C: Mr. Mukesh K Rajgor (Cbwtf Owner) AUTH. No: BMW-344278 Validity Up to: 06/09/2023

Annual Reports already SUBMITTED :

2008,2009,2010,2011,2012,2013,2014,2015,2016,2017,2018

Select the Year : 2019

SAVE

2 Type of Health Care Facility

2 (i) Bedded Hospital

(ii) Non-bedded hospital
(Clinic or Blood Bank or

2 Clinical Laboratory or

Research Institute or

Veterinary Hospital or any
other)

2 (iii) License number and its
date of expiry

BMW-344278 and 06/09/

3 Details of CBMWTF

(i) Number healthcare

3 facilities covered by
CBWTF

2649

3 (ii) No of beds covered by
CBWTF

16725

3 (iii) Installed treatment and
disposal capacity of
CBWTF (in Kg per day)

4175

3 (iv) Quantity of biomedical
waste treated or disposed by
CBWTF (in Kg per day)

1956

4 Quantity of waste generated
or disposed in Kg per
annum(on monthly average
basis)

4 (i) Yellow Category

312075

4 (ii) Red Category

288715

4 (iii) White Category

11524

4 (iv) Blue Category

101445

4 (v) General Solid Waste

0.000

5 Details of the Storage,
treatment, transportation,
processing and Disposal
Facility

5 (i) Details of the on-site
storage facility

Available

5 (ii) Treatment Facility

AUC-
Autoclaving, CUT-

5 (iii) Quantity of recyclable
waste sold to authorized
recyclers after treatment in
kg per annum.

46453

5 (iv) No. of vehicles used for
collection and transportation
of biomedical waste

15

(v) Details of incineration ash and ETP sludge		
5	generated and disposed during the treatment of waste in Kg per annum	<input type="text" value="39385"/>
(vi) Name of the Common Bio-Medical Waste		
5	Treatment Facility Operator through which waste are disposed of	<input type="text" value="Quantum Environment Er"/>
Do you have bio-medical waste management committee ? If yes, attach minutes of the meetings held during the reporting period		
6	<input type="radio"/> Yes <input checked="" type="radio"/> No	<input type="text" value="Not Applicable"/>
7 Details trainings conducted on BMW		
(i) Number of trainings conducted on BMW Management		
7		<input type="text" value="57"/>
7 (ii) Number of Personnel trained		
		<input type="text" value="995"/>
(iii) Number of personnel trained at the time of induction		
7		<input type="text" value="4"/>
(iv) Number of personnel not undergone any training so far		
7		<input type="text" value="0"/>
(v) Whether standard manual for training is available		
7	<input checked="" type="radio"/> Yes <input type="radio"/> No	
7 (vi) Any other information		
		<input type="text" value="NA"/>
8 Details of the accident occurred during the year		
8 (i) Number of Accident occurred		
		<input type="text" value="0"/>
8 (ii) Number of the persons affected		
		<input type="text" value="0"/>
8 (iii) Remedial Action taken (Please attach details if any)		
		<input type="text" value="NA"/>
8 (iv) any Fatality Occurred , details		
		<input type="text" value="NA"/>
Are you meeting the standards of air Pollution from the incinerator ? How many times in last year could not met the standards?		
9	<input checked="" type="radio"/> Yes <input type="radio"/> No	<input type="text" value="Not Applicable"/>
Details of Cuntinuous		
9 online emission monitoring ststems installed		
		<input type="text" value="Installed"/>
Liquid waste generated and treatment methods in place .		
10 How many times you have not met the standards in a year		
		<input type="text" value="0"/>
Is the disinfection method or sterilization meeting the log 4 standards ? How many times you have not met the		
11	<input checked="" type="radio"/> Yes <input type="radio"/> No	<input type="text" value="Not Applicable"/>

standards in a year ?	
12 Any other relevant information	NO

XGN-Xtended Green Node

60.254.38.13 (BMO)

30-Jan-2021 N I C